Polarshine® 8

Technical data sheet

Product information

MIRKE

Water borne silicone free polishing compound designed to quickly and permanently remove sanding scratches from P2500 and finer on industrial surfaces, leaving a high gloss hologram free finish.

Product advantages

- One step hologram free finishing compound
- Silicone free

Compounding Polish Finish Sealing	Compo	unding	Polish	Fi	nish	Sealing	
-----------------------------------	-------	--------	--------	----	------	---------	--

Polishing machine

Product properties

Speed:

Polish, gloss:

Rotating 800 – 2000 rpm

Random orbital polisher 6000-10000 rpm

Surfaces

- Gelcoat
- Topcoats

Polishing pad

- White foam pad
- Yellow foam pad
- Orange foam pad
- Black foam pad

Work instruction

- 1. Shake or stir polishing compound before use
- 2. Do not use too much compound at a time. Use a small amount which is consumed on a focused area less messing and clean up!
- 3. Clean thoroughly before and after polishing
- 4. Work focused on an area of 40x40 cm at a time
- 5. Polish until a scratch free surface is achieved
- 6. Keep the pad clean, a dirty pad causes deep swirls and scratches

Technical specifications

Density:	1,05 kg/l
Viscosity:	20,5 Pas
Colour:	White
pH:	7 - 8

Storage recommendations

Recommended storage temperature: 15° - 25° C / 59° - 77° F Keep from freezing

